

SYMBOL	DESCRIPTION(S)					
\mathbb{M}	2 X 28W RECESSED TYPE T5 FLUO. FTG. C/W MIRROR REFLECTOR & ALUMINIUM CROSS BLADE. (ELECTRONIC BALLAST)					
۲	20W LED DOWNLIGHT C/W PLASMATIC DIFFUSER					
\vdash	1 X 28W T5 BARE CHANNEL FLUO. LIGHT FTG. C/W ELECTRONIC BALLAST.					
\$	PENDENT LIGHTING POINT					
- \$ -	CEILING LIGHTING POINT					
Ŷ	WALL MOUNTED LIGHTING POINT					
Η	1 X 28W T5 WALL MOUNTED TYPE BARE CHANNEL FLUO. LIGHT FTG. C/W SINGLE METAL REFLECTOR (ELECTRONIC BALLAST).					
±.	13A SWITCH SOCKET OUTLET AT 900mm AFFL.					
土	13A SWITCH SOCKET OUTLET AT 300mm AFFL.					
2100mm	13A TWIN SWITCH SOCKET OUTLET AT 2100mm AFFL.					
趈	13A TWIN SWITCH SOCKET OUTLET AT 1350mm AFFL.					
Ŧ	13A TWIN SWITCH SOCKET OUTLET (RUN IN FLOOR TRUNKING) MOUNTED BELOW TABLE TOP/LOW HEIGHT PARTITION.					
wF A	13A SWITCH SOCKET OUTLET AT ABOVE CEILING LEVEL FOR WIFI SYSTEM					
n n n n n n n n n n n n n n n n n n n	10A 2/3 GANG TWO WAY LIGHTING SWITCH AT 1450mm AFFL.					
ਾ ਹੋਲ ਹੋਵ	10A 1/3 GANG ONE WAY LIGHTING SWITCH AT 1450mm AFFL.					
	ELECTRICAL PANEL AC - AR CONDITIONING STARTER PANEL P - SMALL POWER ELECTRICAL PANEL L - LIGHTING ELECTRICAL PANEL					
UNDER FLOOR JUNCTION BOX (250mm X 250mm X 56mm) FOR POWER, TELEPHONE & DATA CAST IN FLOOR SLAB. – DATA – 150mm X 32mm UNDERFLOOR UPVC TRUNKING/CONDUIT. (CAST IN FLOOR SLAB) – POWER – 150mm X 32mm UNDERFLOOR UPVC TRUNKING/CONDUIT. (CAST IN FLOOR SLAB)		AS SHO				
	150mm X 25mm METAL TRUNKING DROPPER					

SYMBOL	DESCRIPTION(S)				
٠	PENDENT SPRINKLER (1557/68°C TEMPERATURE RATING).				
0	UPRIGHT SPRINKLER (155%/68°C TEMPERATURE RATING).				
EL	EMERGENCY LIGHT. (SUPPLY & INSTALL BY ELECTRICAL CONTRACTOR)	19			
K	8W KELUAR SIGN C/W SELF CONTAINED BACK UP BATTERY (3 HR.) & CHARGER.	8			
	9 KGS ABC DRY POWDER PORTABLE FIRE EXTINGUISHER.	6			
Ĩ.	HOSE REEL DRUM C/W 25mmø x 30m (LENGTH) HOSE & NOZZLE.	1			
FA ଅନ	MANUAL BREAKGLASS & ALARM BELL.	1			
8	SMOKE DETECTOR.	1			
0	SMOKE DETECTOR IN SAMPLING TUBE.	1			

NAR MOLE 14. (LONGHOT MORSON STORM IS PRELIMING A ACTIVE DARISON TO BE DETERMINE MADE ON COMPARY SELECTE. 2) UN TELE LOSS MARSO ON IS STRUMENTS (SOUT) 3) DI LETT LIMMA REMOVED S'O FOLLATION OF A RASPIC ALL OF THE LOOK BALLING OCT MHORER IS MORE STRUMENT 4) PREE DAMINES SHILL IS COLLEGE TO A COLLINGUE AN ADDRECTION, STRUCTION, LOCANCIA, LLICENCIA, E MARRIE DAMINE, 3) ATTEMING OT DIS ELEMENTES IN A COLLECTION OF MORE/COLLIN, STRUCTION, LLICENCIA, E MARRIE DAMINE, 3) ATTEMING OT DIS ELEMENTES IN A COLLECTION OF MORE/COLLIN, STRUCTION, LLICENCIA, E MARRIE DAMINE, 3) ATTEMING OT DIS ELEMENTES IN A COLLECTION OF MORE/COLLING, STRUCTION, LLICENCIA, E MARRIE DAMINE, 3) ATTEMING OT DIS ELEMENTES IN A COLLECTION OF MORE/COLLING, STRUCTION, LLICENCIA, E MARRIE DAMINE, 3) ATTEMING OT DIS ELEMENTES IN A COLLECTION OF MORE/COLLING OT MORE/COLLING A COLLECTION, STRUCTION, LLICENCIA, L

- FLOOR FINISHED REFER TO SCHEDULE (BY ID CONTRACTOR)

CONSTRUCTION DRAWING

DRAWING TITLE :

BLOCK A_3RD FLOOR ADMIN OFFICES

FURNITURE LAYOUT PLAN

DATE : 23.03.16		CHECK BY : EJ/EDM			
PROJECT NO. :		STATUS	BLOCK	DWG. NO	REVISION
53 35 314		СА	А	A107	А