

<u>LEGEND</u>: <u>TELEPHONE INSTALLATION</u>

	F&KMR9Ho∕v	SUAL SERVICES TO LEGGRER TISENTING AREA.	QTY
		COMPUTER/DATA (1G) UTP PT. C/W SOCKET OUTLET USING CAT. 6 CABLE IN UPVC CONDUIT/CONCEALED	23
		WIFI POINT C/W SOCKET OUTLET AT CEILING LEVEL USING CAT 6 CABLE IN UPVC CONDUIT/CONCEALED.	1

LEGEND : FIRE INSTALLATION

SYMBOL	DESCRIPTION(S)	QTY
•	PENDENT SPRINKLER (155F/68°C TEMPERATURE RATING).	9
0	UPRIGHT SPRINKLER (155F/68°C TEMPERATURE RATING).	9
EL	EMERGENCY LIGHT. (SUPPLY & INSTALL BY ELECTRICAL CONTRACTOR)	1
∆ DP	9 KGS ABC DRY POWDER PORTABLE FIRE EXTINGUISHER.	=

LEGEND: PUBLIC ADDRESS SYSTEM.

SYMBOL	DESCRIPTION(S)	QTY
© ^{6W}	6W RECESSED CEILING MOUNTED SPEAKER C/W MATCHING TRANSFORMER (TAP AT 1.5W)	4

CONSTRUCTION DRAWING

1 UNIT TNB 11 KV STESEN SUIS UTAMA UNTUK: TETUAN KDU COLLEGE (PG) SDN. BHD

NAME : DR.CHONG BENG KEOK
CHIEF EXECUTIVE OFFICER (CEO) IC. NO: 610612-02-5048

ALAMAT :KDU COLLEGE (PG) SDN.BHD. 32, JALAN ANSON, 10400 GEORGE TOWN, PULAU PINANG. TEL. NO: 604-2386368

BH YEW ARCHITECT ARCHITECT SIGNATURE : M&E CONSULANT TSTH FLOOR, BANGUNAN AMMETILIFE, NO.1, Jun. LUMUT, 50400 KUALA LUMPUR. TEL: (30)-4046-1346 FAX: (03) 4043-1349 EMAIL: ybhwa@nrasb.com.my

PERUNDING
Consulting Mechanical & Electrical Engineers.
8-01, WISMA PANTAI,
12200 BUTTERWORTH, PENANG.

PL. A.
Electrical Engineers.
TEL. NO. : (604) 3337990
FAX NO. : (604) 3317337
E-MAIL : project@pia-group.com

QS CONSULANT

UNITECH QS CONSULTANCY SDN. BHD. 12A-A, MENARA NORTHAM, 55, JALAN SULTAN AHMAD SHAH, 10050 PENANG

KITCHEN SPECIALIST

DISHES SDN BHD DISHES SUN BHD
NO. 21-1, JALAN SEMENYH SENTRAL 1.
SEMENYH SENTRAL,
SEMENYH, 43500 SELANGOR
TEL: +603-872-71201
emoil: info@dishes.com.my
webmoil: www.dishes.com.my

DRAWING TITLE :

BLOCK E_2ND FLOOR IMAC LAB REFLECTED CEILING PLAN

SCALE : CHECK B' 09.03.16 1:50 EJ/EDM

PROJECT NO. : STATUS REVISION BLOCK DWG. NO 55314 СА Ε S302 Α