

LEVEL 1

No.	Area	(sqm)		opening requirement 5%/10%		opening provided		
			sub-total	sqm	(%)	sqm	(%)	
1	Retail 01	Shop Toilet	318.43 5.57	324.00	31.84 0.56	10% 10%	38.88 MV	12% MV
2	Retail 02	Shop Toilet	111.10 4.21	115.31	11.11 0.42	10% 10%	34.56 MV	31% MV
3	Retail 03	Shop Toilet Frontage	79.51 3.30 20.16	102.97	7.95 0.33 -	10% 10% -	17.28 MV -	22% MV -
4	Retail 3A	Shop Toilet Frontage	101.14 3.30 20.16	124.60	10.11 0.33 -	10% 10% -	17.28 MV -	17% MV -
5	Retail 05	Shop Toilet Frontage	89.06 3.30 13.56	105.92	8.91 0.33 -	10% 10% -	12.96 MV -	15% MV -
6	Retail 06	Shop Toilet Frontage	101.15 3.30 20.16	124.61	10.12 0.33 -	10% 10% -	17.28 MV -	17% MV -
7	Retail 07	Shop Toilet Frontage	101.15 3.30 20.16	124.61	10.12 0.33 -	10% 10% -	17.28 MV -	17% MV -
8	Retail 08	Shop Toilet Frontage	101.15 3.30 20.16	124.61	10.12 0.33 -	10% 10% -	17.28 MV -	17% MV -
9	Retail 09	Shop Toilet Frontage	101.15 3.30 20.16	124.61	10.12 0.33 -	10% 10% -	17.28 MV -	17% MV -
10	Retail 10	Shop Toilet Frontage	84.23 2.69 26.76	113.68	8.42 0.27 -	10% 10% -	21.60 MV -	26% MV -
11	Retail 11	Shop Toilet Frontage	85.78 4.01 27.60	117.39	8.58 0.40 -	10% 10% -	21.60 MV -	25% MV -
12	Retail 12	Shop Toilet Frontage	100.44 4.01 20.16	124.61	10.04 0.40 -	10% 10% -	17.28 MV -	17% MV -
13	Retail 12A	Shop Toilet Frontage	90.43 3.30 20.16	113.89	9.04 0.33 -	10% 10% -	17.28 MV -	19% MV -
14	Retail 12B	Shop Toilet Frontage	73.24 3.30 20.64	97.18	7.32 0.33 -	10% 10% -	17.28 MV -	24% MV -
15	Retail 15	Shop Toilet Frontage	97.95 4.01 19.68	121.64	9.80 0.40 -	10% 10% -	17.28 MV -	18% MV -
16	Retail 16	Shop Toilet Frontage	105.08 4.01 21.06	130.15	10.51 0.40 -	10% 10% -	34.56 MV -	33% MV -
17	Retail 17	Shop Toilet Frontage	105.79 3.30 21.06	130.15	10.58 0.33 -	10% 10% -	34.56 MV -	33% MV -
18	Retail 18	Shop Toilet Frontage	144.89 3.30 33.10	181.29	14.49 0.33 -	10% 10% -	28.08 MV -	19% MV -
19	Retail 19	Shop Toilet Frontage	137.86 4.01 27.38	169.25	13.79 0.40 -	10% 10% -	21.60 MV -	16% MV -
20	Retail 20	Shop Toilet Frontage	104.60 4.01 20.96	129.57	10.46 0.40 -	10% 10% -	17.28 MV -	17% MV -
21	Retail 21	Shop Toilet Frontage	117.13 3.30 33.52	153.95	11.71 0.33 -	10% 10% -	25.92 MV -	22% MV -
22	Retail 22	Shop Frontage	45.89 20.04	65.93	4.59 -	10% -	17.28 -	38% -
23	Retail 23	Shop Toilet Frontage	101.14 3.30 20.16	124.60	10.11 0.33 -	10% 10% -	17.28 MV -	17% MV -
24	Retail 23A	Shop Toilet Frontage	104.50 3.30 22.35	130.15	10.45 0.33 -	10% 10% -	34.56 MV -	33% MV -
25	Retail 25	Shop Toilet Frontage	105.81 3.30 21.06	130.17	10.58 0.33 -	10% 10% -	38.88 MV -	37% MV -
26	Retail 26	Shop Toilet Frontage	101.14 3.30 20.16	124.60	10.11 0.33 -	10% 10% -	17.28 MV -	17% MV -
27	Retail 27	Shop Toilet Frontage	100.78 3.30 20.16	124.24	10.08 0.33 -	10% 10% -	17.28 MV -	17% MV -
28	Retail 28	Shop Toilet Frontage	101.14 3.30 20.16	124.60	10.11 0.33 -	10% 10% -	17.28 MV -	17% MV -
29	Retail 29	Shop Toilet Frontage	101.74 3.30 20.16	125.20	10.17 0.33 -	10% 10% -	17.28 MV -	17% MV -
30	Retail 30	Shop Toilet	197.20 3.30	200.50	19.72 0.33	10% 10%	75.60 MV	38% MV
31	Retail 31		87.02	8.70	10%	17.28	20%	
32	Retail 32		87.44	8.74	10%	17.28	20%	
33	Retail 33		45.97	4.60	10%	8.64	19%	
34	Retail 33A		90.91	9.09	10%	32.40	36%	
35	Retail 35		90.91	9.09	10%	32.40	36%	
36	Retail 36		87.02	8.70	10%	17.28	20%	
37	Retail 37		56.00	5.60	10%	17.28	31%	
38	Retail 38		90.49	9.05	10%	17.28	19%	
39	Retail 39		119.14	11.91	10%	17.28	15%	
40	Retail 40		113.96	11.40	10%	17.28	15%	
41	Retail 41		90.91	9.09	10%	32.40	36%	
42	Retail 42		90.91	9.09	10%	32.40	36%	
43	Retail 43		84.96	8.50	10%	17.28	20%	
44	Retail 43A		38.52	3.85	10%	12.96	34%	
45	Retail 45		55.31	5.53	10%	17.28	31%	
46	Retail 46		87.02	8.70	10%	17.28	20%	
47	Retail 47		82.88	8.29	10%	21.60	26%	
48	Retail 48		83.34	8.33	10%	21.60	26%	
49	Retail 49		87.03	8.70	10%	17.28	20%	
50	Retail 50		87.03	8.70	10%	17.28	20%	
51	Retail 51		87.03	8.70	10%	17.28	20%	
52	Retail 52		87.03	8.70	10%	17.28	20%	
53	Retail 53		87.03	8.70	10%	17.28	20%	
54	Janitor		3.14	0.31	10%	MV	-	
55	Studio mail room		53.31					
	Mail room retail 1	8.00		0.80	10%	MV	MV	
	Mail room apart. 1	20.19		2.02	10%	MV	MV	
	Mail room retail 2	7.56		0.76	10%	MV	MV	
	Mail room apart. 2	17.56		1.76	10%	MV	MV	
56	Refuse		9.08					
	Refuse 1	4.54		0.45	10%	MV	MV	
	Refuse 2	4.54		0.45	10%	MV	MV	
57	Fire control room		46.60					
	Room	42.31		4.23	10%	6.48	15%	
	Toilet	4.29		0.43	10%	MV	MV	
58	Toilet		176.15					
	Toilet 1 (M)	18.86		1.89	10%	MV	MV	
	Toilet 1 (F)	15.50		1.55	10%	MV	MV	
	OKU 1	5.43		0.54	10%	MV	MV	
	Toilet 2 (M)	17.95		1.80	10%	MV	MV	
	Toilet 2 (F)	19.36		1.94	10%	MV	MV	
	OKU 2	4.93		0.49	10%	MV	MV	
	Lactation 1	3.93		0.39	10%	MV	MV	
	Toilet 3 (M)	19.11		1.91	10%	MV	MV	
	Toilet 3 (F)	13.40		1.34	10%	MV	MV	
	OKU 3	7.00		0.70	10%	MV	MV	
	Lactation 2	4.63		0.46	10%	MV	MV	
	Toilet 4 (M)	14.60		1.46	10%	MV	MV	
	Toilet 4 (F)	18.42		1.84	10%	MV	MV	
	OKU 4	5.73		0.57	10%	MV	MV	
	Lactation 3	7.30		0.73	10%	MV	MV	
59	Lift		77.92					
	Lift 1	7.16		-	-	-	-	
	Lift 2, 3 & 4	24.08		-	-	-	-	
	Lift 5, 6 & 7	24.08		-	-	-	-	
	Lift 8 & 9	14.31		-	-	-	-	
	Lift 10	8.29		-	-	-	-	
60	Circulation area		2141.93					
61	Stairs		175.69					
	Stairs 1	17.46		1.75	5%	1.08	6%	
	Stairs 2	16.22		1.62	5%	1.08	7%	
	Stairs 3	18.68		-	-	-	-	
	Stairs 4	17.46		1.75	5%	MV	MV	
	Stairs 5	17.46		1.75	5%	MV	MV	
	Stairs 6	17.46		1.75	5%	MV	MV	
	Stairs 7	17.46		1.75	5%	MV	MV	
	Stairs 8	18.01		1.80	5%	MV	MV	
	Stairs 9	18.68		-	-	-	-	
	Stairs 10	16.80		1.68	5%	1.08	6%	
62	Services		1145.80					