

LEVEL 1

No.	Area	(sqm)		opening requirement 10%		opening provided	
		sub-total		sqm		sqm	(%)
1	Retail 01	Shop Toilet	320.15 3.85	324.00	32.02 0.39	47.52 MV	14.84 -
2	Retail 02	Shop Toilet	112.32 2.99	115.31	11.23 0.30	15.84 MV	14.10 -
3	Retail 03	Shop Toilet Frontage	80.72 2.69 16.92	100.33	8.07 0.27	15.84 MV	19.62 -
4	Retail 3A	Shop Toilet Frontage	104.99 2.69 16.92	124.60	10.50 0.27	15.84 MV	15.09 -
5	Retail 05	Shop Toilet Frontage	91.79 2.75 11.38	105.92	9.18 0.28	9.25 MV	10.08 -
6	Retail 06	Shop Toilet Frontage	104.95 2.75 16.91	124.61	10.50 0.28	15.84 MV	15.09 -
7	Retail 07	Shop Toilet Frontage	104.95 2.75 16.91	124.61	10.50 0.28	15.84 MV	15.09 -
8	Retail 08	Shop Toilet Frontage	104.95 2.75 16.91	124.61	10.50 0.28	15.84 MV	15.09 -
9	Retail 09	Shop Toilet Frontage	104.95 2.75 16.91	124.61	10.50 -	15.84 MV	15.09 -
10	Retail 10	Shop Toilet Frontage	88.48 2.75 22.45	113.68	8.85 0.28	15.84 MV	17.90 -
11	Retail 11	Shop Toilet Frontage	91.48 2.75 23.16	117.39	9.15 0.28	15.84 MV	17.32 -
12	Retail 12	Shop Toilet Frontage	104.94 2.75 16.92	124.61	10.49 0.28	15.84 MV	15.09 -
13	Retail 12A	Shop Toilet Frontage	94.22 2.75 16.92	113.89	9.42 0.28	15.84 MV	16.81 -
14	Retail 12B	Shop Toilet Frontage	77.11 2.75 17.32	97.18	7.71 0.28	15.84 MV	20.54 -
15	Retail 15	Shop Toilet Frontage	102.37 2.75 16.52	121.64	10.24 0.28	15.84 MV	15.47 -
16	Retail 16	Shop Toilet Frontage	109.73 2.75 17.67	130.15	10.97 0.28	15.84 MV	14.44 -
17	Retail 17	Shop Toilet Frontage	109.73 2.75 17.67	130.15	10.97 0.28	15.84 MV	14.44 -
18	Retail 18	Shop Toilet Frontage	150.77 2.75 27.77	181.29	15.08 0.28	15.84 MV	10.51 -
19	Retail 19	Shop Toilet Frontage	143.52 2.75 22.98	169.25	14.35 0.28	15.84 MV	11.04 -
20	Retail 20	Shop Toilet Frontage	109.23 2.75 17.59	129.57	10.92 0.28	15.84 MV	14.50 -
21	Retail 21	Shop Toilet Frontage	123.07 2.75 28.13	153.95	12.31 0.28	23.88 MV	19.40 -
22	Retail 22	Shop Frontage	49.07 16.86	65.93	4.91 -	15.84 -	32.28 -
23	Retail 23	Shop Toilet Frontage	104.85 2.75 17.00	124.60	10.49 0.28	15.84 MV	15.11 -
24	Retail 23A	Shop Toilet Frontage	109.63 2.75 17.77	130.15	10.96 0.28	15.84 MV	14.45 -
25	Retail 25	Shop Toilet Frontage	109.75 2.75 17.67	130.17	10.98 0.28	15.84 MV	14.43 -
26	Retail 26	Shop Toilet Frontage	104.93 2.75 16.92	124.60	10.49 0.28	15.84 MV	15.10 -
27	Retail 27	Shop Toilet Frontage	104.57 2.75 16.92	124.24	10.46 0.28	15.84 MV	15.15 -
28	Retail 28	Shop Toilet Frontage	104.93 2.75 16.92	124.60	10.49 0.28	15.84 MV	15.10 -
29	Retail 29	Shop Toilet Frontage	105.53 2.75 16.92	125.20	10.55 0.28	15.84 MV	15.01 -
30	Retail 30	Shop Toilet	197.75 2.75	200.50	19.78 0.28	47.52 MV	24.03 -
31	Retail 31		87.02	8.70	15.84	15.84	18.20
32	Retail 32		87.44	8.74	15.84	15.84	18.12
33	Retail 33		45.97	4.60	8.04	8.04	17.49
34	Retail 33A		90.91	9.09	15.84	15.84	17.42
35	Retail 35		90.91	9.09	15.84	15.84	17.42
36	Retail 36		87.02	8.70	15.84	15.84	18.20
37	Retail 37		56.00	5.60	15.84	15.84	28.29
38	Retail 38		90.49	9.05	15.84	15.84	17.50
39	Retail 39		119.14	11.91	15.84	15.84	13.30
40	Retail 40		113.96	11.40	15.84	15.84	13.90
41	Retail 41		90.91	9.09	15.84	15.84	17.42
42	Retail 42		90.91	9.09	15.84	15.84	17.42
43	Retail 43		84.96	8.50	15.84	15.84	18.64
44	Retail 43A		38.52	3.85	8.04	8.04	20.87
45	Retail 45		55.31	5.53	15.84	15.84	28.64
46	Retail 46		87.02	8.70	15.84	15.84	18.20
47	Retail 47		85.96	8.60	15.84	15.84	18.43
48	Retail 48		83.34	8.33	15.84	15.84	19.01
49	Retail 49		87.03	8.70	15.84	15.84	18.20
50	Retail 50		87.03	8.70	15.84	15.84	18.20
51	Retail 51		87.03	8.70	15.84	15.84	18.20
52	Retail 52		87.03	8.70	15.84	15.84	18.20
53	Retail 53		87.03	8.70	15.84	15.84	18.20
54	LPG gas farm		29.67	-	-	-	-
54	LPG gas farm 01	13.41	-	-	-	-	-
54	LPG gas farm 02	16.26	-	-	-	-	-
56	Jambor		3.14	-	-	-	-
57	Riser		21.63	-	-	-	-
57	Riser 1	4.54	-	-	-	-	-
57	Riser 2	5.03	-	-	-	-	-
57	Riser 3	5.03	-	-	-	-	-
57	Riser 4	7.03	-	-	-	-	-
59	Generator		57.51	-	-	-	-
59	Generator 1	26.93	-	-	-	-	-
59	Generator 2	30.58	-	-	-	-	-
60	Wet riser pump & tank room		71.76	-	-	-	-
61	TNB substation		324.85	-	-	-	-
61	TNB substation 1	130.49	-	-	-	-	-
61	TNB substation 2	80.83	-	-	-	-	-
61	TNB substation 3	113.53	-	-	-	-	-
62	Main switch		162.55	-	-	-	-
62	MSB ROOM 01	63.25	-	-	-	-	-
62	MSB ROOM 02	37.08	-	-	-	-	-
62	MSB ROOM 03	62.22	-	-	-	-	-
63	Studio mail room		46.82	0.80	MV	-	-
63	Mail room retail 1	8.00	-	-	-	-	-
63	Mail room apart. 1	20.19	-	2.02	MV	-	-
63	Mail room retail 2	7.56	-	0.76	MV	-	-
63	Mail room apart. 2	11.07	-	1.11	MV	-	-
64	Fire HWS/SPR/WR		5.14	-	-	-	-
64	Fire wet riser 1	2.85	-	-	-	-	-
64	Fire wet riser 2	2.29	-	-	-	-	-
64	Fire wet riser 3	2.85	-	-	-	-	-
65	Water compart.		35.02	-	-	-	-
65	Water compart. apart. 1	6.88	-	-	-	-	-
65	Water compart. retail 1	8.90	-	-	-	-	-
65	Water compart. apart. 2	13.57	-	-	-	-	-
65	Water compart. retail 2	5.67	-	-	-	-	-
66	Refuse		9.08	0.45	4.80	105.73	-
66	Refuse 1	4.54	-	0.45	4.80	105.73	-
66	Refuse 2	4.54	-	-	-	-	-
67	MDF room		20.12	-	-	-	-
68	Suction tank		230.95	-	-	-	-
68	Suction tank 1	24.11	-	-	-	-	-
68	Suction tank (FIRE)2	32.15	-	-	-	-	-
68	Suction tank 3	174.69	-	-	-	-	-
69	Fire sprinkler room		79.56	-	-	-	-
69	Fire sprinkler studio apart.	47.22	-	-	-	-	-
69	Fire sprinkler retail	32.34	-	-	-	-	-
70	Container room		104.81	-	-	-	-
71	Fire control room		46.60	4.23	MV	-	-
71	Room	42.31	-	0.43	MV	-	-
71	Toilet	4.29	-	-	-	-	-
72	Toilet		177.70	-	-	-	-
72	Toilet 1 (M)	18.86	-	1.89	MV	-	-
72	Toilet 1 (F)	15.5	-	1.55	MV	-	-
72	OKU 1	5.43	-	0.54	MV	-	-
72	Toilet 2 (M)	17.95	-	1.80	MV	-	-
72	Toilet 2 (F)	19.36	-	1.94	MV	-	-
72	Toilet 2	6.48	-	0.65	MV	-	-
72	Lactation 1	3.93	-	0.39	MV	-	-
72	Toilet 3 (M)	19.11	-	1.91	MV	-	-
72	Toilet 3 (F)	13.4	-	1.34	MV	-	-
72	OKU 3	7	-	0.70	MV	-	-
72	Lactation 2	4.63	-	0.46	MV	-	-
72	Toilet 4 (M)	14.6	-	-	-	-	-
72	Toilet 4 (F)	18.42	-	-	-	-	-
72	OKU 4	5.73	-	-	-	-	-
72	Lactation 3	7.3	-	-	-	-	-
73	Lift		77.92	-	-	-	-
73	Lift 1	7.16	-	-	-	-	-
73	Lift 2,3 & 4	24.08	-	-	-	-	-
73	Lift 5, 6 & 7	24.08	-	-	-	-	-
73	Lift 8 & 9	14.31	-	-	-	-	-
73	Lift 10	8.29	-	-	-	-	-
74	Exhaust Ducting		39.66	-	-	-	-
74	Exhaust 1	12.78	-	-	-	-	-
74	Exhaust 2	13.39	-	-	-	-	-
74	Exhaust 3	13.49	-	-	-	-	-
75	Circulation area		2,106.79	-	-	-	-
Area		(sqm)		opening requirement	opening provided		
		sub-total		sqm	sqm		(%)
76	Stairs		177.90	-	-	-	-
76	Stairs 1	17.46	-	3.49	1.89	10.82	-
76	Stairs 2	17.10	-	3.42	1.89	11.05	-
76	Stairs 3	18.68	-	3.74	1.89	10.12	-
76	Stairs 4	17.46	-	3.49	1.89	10.82	-
76	Stairs 5	17.46	-	3.49	1.89	10.82	-
76	Stairs 6	17.46	-	3.49	1.89	10.82	-
76	Stairs 7	17.46	-	3.49	1.89	10.82	-
76	Stairs 8	18.68	-	3.74	1.89	10.12	-
76	Stairs 9	18.68	-	3.74	1.89	10.12	-
76	Stairs 10	17.46	-	3.49	1.89	10.82	-
	Total		9,751.46				