

LEVEL 2

No.	Area		opening		opening	
			sub-total	requirement 10%	provided	
			sqm	sqm	sqm	(%)
1	Retail 1	Shop	210.71	21.07	22.00	10.44
		Toilet	2.75	0.28	MV	-
2	Retail 2	Shop	278.48	27.85	40.04	14.38
		Toilet	2.75	0.28	MV	-
3	Retail 3		90.48	9.05	14.52	16.05
4	Retail 3A		87.36	8.74	14.52	16.62
5	Retail 5		87.36	8.74	14.52	16.62
6	Retail 6		87.36	8.74	14.52	16.62
7	Retail 7		58.76	5.88	7.38	12.56
8	Retail 8		87.36	8.74	14.52	16.62
9	Retail 9	Shop	129.68	12.97	14.52	11.20
		Toilet	2.75	0.28	MV	-
		Frontage	22.47	-	-	-
10	Retail 10	Shop	129.68	12.97	14.52	11.20
		Toilet	2.75	0.28	MV	-
		Frontage	22.47	-	-	-
11	Retail 11	Shop	129.68	12.97	14.52	11.20
		Toilet	2.75	0.28	MV	-
		Frontage	22.47	-	-	-
12	Retail 12	Shop	121.23	12.12	14.52	11.98
		Toilet	2.75	0.28	MV	-
		Frontage	29.83	-	-	-
13	Retail 12A	Shop	117.87	11.79	14.52	12.32
		Toilet	2.75	0.28	MV	-
		Frontage	31.45	-	-	-
14	Retail 12B	Shop	119.00	11.90	14.52	12.20
		Toilet	2.75	0.28	MV	-
		Frontage	22.47	-	-	-
15	Retail 15	Shop	119.00	11.90	14.52	12.20
		Toilet	2.75	0.28	MV	-
		Frontage	22.47	-	-	-
16	Retail 16	Shop	102.98	10.30	14.52	14.10
		Toilet	2.75	0.28	MV	-
		Frontage	22.47	-	-	-
17	Retail 17	Shop	81.67	8.17	14.76	18.07
		Toilet	2.75	0.28	MV	-
		Frontage	16.32	-	-	-
18	Retail 18	Shop	118.70	11.87	21.90	18.45
		Toilet	2.75	0.28	MV	-
		Frontage	23.47	-	-	-
19	Retail 19	Shop	118.70	11.87	21.90	18.45
		Toilet	2.75	0.28	MV	-
		Frontage	23.47	-	-	-
20	Retail 20	Shop	120.42	12.04	21.90	18.19
		Toilet	2.75	0.28	MV	-
		Frontage	23.81	-	-	-
21	Retail 21	Shop	68.93	6.89	7.38	10.71
		Toilet	2.75	0.28	MV	-
		Frontage	15.52	-	-	-
22	Retail 22	Shop	129.64	12.96	14.52	11.20
		Toilet	2.75	0.28	MV	-
		Frontage	22.50	-	-	-
23	Retail 23	Shop	129.67	12.97	14.52	11.20
		Toilet	2.75	0.28	MV	-
		Frontage	22.47	-	-	-
24	Retail 23A	Shop	125.09	12.51	14.52	11.61
		Toilet	2.75	0.28	MV	-
		Frontage	21.71	-	-	-
25	Retail 25	Shop	44.04	4.40	7.38	16.76
		Frontage	16.56	1.66	MV	-
26	Retail 26	Shop	64.54	6.45	14.52	22.50
		Frontage	22.34	2.23	MV	-
27	Retail 27	Shop	129.68	12.97	14.52	11.20
		Toilet	2.75	0.28	MV	-
		Frontage	22.47	2.25	MV	-
28	Retail 28	Shop	135.57	13.56	14.52	10.71
		Toilet	2.75	0.28	MV	-
		Frontage	23.48	-	-	-
29	Retail 29	Shop	135.58	13.56	14.52	10.71
		Toilet	2.75	0.28	MV	-
		Frontage	23.48	-	-	-
30	Retail 30	Shop	129.68	12.97	14.52	11.20
		Toilet	2.75	0.28	MV	-
		Frontage	22.47	-	-	-
31	Retail 31	Shop	129.68	12.97	14.52	11.20
		Toilet	2.75	0.28	MV	-
		Frontage	22.47	-	-	-
32	Retail 32		87.36	8.74	14.52	16.62
33	Retail 33		87.36	8.74	14.52	16.62
34	Retail 33A		58.76	5.88	7.38	12.56
35	Retail 35		87.36	8.74	14.52	16.62
36	Retail 36		87.36	8.74	14.52	16.62
37	Retail 37		87.36	8.74	14.52	16.62
38	Retail 38	Shop	156.67	15.67	43.56	27.80
		Toilet	2.75	0.28	MV	-
39	Retail 39		89.56	8.96	29.04	32.43
40	Retail 40		87.36	8.74	14.52	16.62
41	Retail 41		87.36	8.74	14.52	16.62
42	Retail 42		87.36	8.74	14.52	16.62
43	Retail 43		87.36	8.74	14.52	16.62
44	Retail 43A		87.36	8.74	14.52	16.62
45	Retail 45		87.78	8.78	14.52	16.54
46	Retail 46		46.06	4.61	7.38	16.02
47	Retail 47		90.90	9.09	14.52	15.97
48	Retail 48		90.90	9.09	14.52	15.97
49	Retail 49		87.03	8.70	14.52	16.68
50	Retail 50		66.80	6.68	14.52	21.74
51	Retail 51		59.11	5.91	7.38	12.49
52	Retail 52		84.02	8.40	14.52	17.28
53	Retail 53		87.02	8.70	14.52	16.69
54	Retail 53A		87.02	8.70	14.52	16.69
55	Retail 55		48.17	4.82	7.38	15.32
56	Retail 56		73.74	7.37	21.90	29.70
57	Retail 57		72.70	7.27	21.90	30.12
58	Retail 58		72.70	7.27	21.90	30.12
59	Retail 59		50.54	5.05	7.38	14.60
60	Retail 60		86.65	8.67	8.45	9.75
61	Retail 61		97.70	9.77	14.52	14.86
62	Retail 62		97.70	9.77	14.52	14.86
63	Retail 63		120.96	12.10	14.52	12.00
64	Retail 63A		83.35	8.34	14.52	17.42
65	Retail 65		87.02	8.70	14.52	16.69
66	Retail 66		87.02	8.70	14.52	16.69
67	Retail 67		87.02	8.70	14.52	16.69
68	Retail 68		87.36	8.74	14.52	16.62
69	Retail 69		87.36	8.74	14.52	16.62
70	Retail 70		87.36	8.74	14.96	17.12
71	Retail 71		87.36	8.74	14.52	16.62
72	Retail 72		90.48	9.05	14.52	16.05
73	Riser		21.63	-	-	-
		Riser 1	4.54	-	-	-
		Riser 2	5.03	-	-	-
		Riser 3	5.03	-	-	-
74	Janitor		3.14	-	-	-
		Water compart. apart. 1	6.88	-	-	-
		Water compart. retail 1	8.9	-	-	-
		Water compart. retail 2	13.57	-	-	-
76	Refuse		9.08	-	-	-
		Refuse 1	4.54	0.45	4.20	92.51
		Refuse 2	4.54	0.45	4.20	92.51
77	Fire HR/SPR/WR		5.70	-	-	-
		Fire wet riser 1	2.85	-	-	-
		Fire wet riser 2	4.48	-	-	-
		Fire wet riser 3	2.85	-	-	-
78	Toilet		185.14	1.89	MV	-
		Toilet 1 (M)	18.86	1.55	MV	-
		Toilet 1 (F)	15.50	0.543	MV	-
		OKU 1	5.43	1.80	MV	-
		Toilet 2 (M)	17.95	2.55	MV	-
		Toilet 2 (F)	25.48	0.65	MV	-
		OKU 2	6.48	0.39	MV	-
		Lactation 2	3.93	1.91	MV	-
		Toilet 3 (M)	19.14	1.40	MV	-
		Toilet 3 (F)	14.02	0.49	MV	-
		OKU 3	4.85	0.75	MV	-
		Lactation 2	7.45	1.46	MV	-
		Toilet 4 (M)	14.6	1.84	MV	-
		Toilet 4 (F)	18.42	0.73	MV	-
		OKU 4	5.73			
79	Exhaust Ducting		39.66	-	-	-
		Exhaust 1	12.78	-	-	-
		Exhaust 2	13.39	-	-	-
		Exhaust 3	13.49	-	-	-
80	Circulation area		1,689.25	-	-	-
	Area		opening	opening	provided	
		sub-total	sqm	sqm	(%)	
81	Stairs		177.90	3.49	1.89	10.82
		Stairs 1	17.46	3.42	1.89	11.05
		Stairs 2	17.10	3.74	1.89	10.12
		Stairs 3	18.68	3.49	1.89	10.82
		Stairs 4	17.46	3.49	1.89	10.82
		Stairs 5	17.46	3.49	1.89	10.82
		Stairs 6	17.46	3.49	1.89	10.82
		Stairs 7	17.46	3.74	1.89	10.12
		Stairs 8	18.68	3.49	1.89	10.82
		Stairs 9	18.68	3.49	1.89	10.82
		Stairs 10	17.46	3.49	1.89	10.82
	Total		9,841.37			