

LEVEL 3

No.	Area	(sqm)		opening requirement		opening provided	
		sub-total		10% sqm	10% sqm	(%)	(%)
1	Retail 1 Shop Toilet Frontage	138.03 2.69 72.74	213.46	13.80 0.27 -	22.30 MV -	16.16 - -	
2	Retail 2 Shop Toilet Frontage	191.04 2.69 87.50	281.23	19.10 0.27 -	40.04 MV -	20.96 - -	
3	Retail 3 Shop Toilet Frontage	134.47 2.68 23.28	160.43	13.45 0.27 -	14.52 MV -	10.80 - -	
4	Retail 3A Shop Toilet Frontage	129.68 2.75 22.47	154.90	12.97 0.28 -	14.52 MV -	11.20 - -	
5	Retail 5 Shop Toilet Frontage	129.68 2.75 22.47	154.90	12.97 0.28 2.25	14.52 MV MV	11.20 - -	
6	Retail 6		87.36	8.74	14.52	16.62	
7	Retail 7		58.76	5.88	7.38	12.56	
8	Retail 8		87.36	8.74	14.52	16.62	
9	Retail 9		87.36	8.74	14.52	16.62	
10	Retail 10		87.36	8.74	14.52	16.62	
11	Retail 11		87.36	8.74	14.52	16.62	
12	Retail 12 Shop Toilet Frontage	121.83 2.15 29.83	153.81	12.18 0.22 -	14.52 MV -	11.92 - -	
13	Retail 12A Shop Toilet Frontage	118.55 2.75 30.77	152.07	11.86 0.28 -	14.52 MV -	12.25 - -	
14	Retail 12B Shop Toilet Frontage	119.00 2.75 22.47	144.22	11.90 0.28 -	14.52 MV -	12.20 - -	
15	Retail 15 Shop Toilet Frontage	119.00 2.75 22.47	144.22	11.90 0.28 -	14.52 MV -	12.20 - -	
16	Retail 16 Shop Toilet Frontage	102.47 2.75 23.00	128.22	10.25 0.28 -	14.52 MV -	14.17 - -	
17	Retail 17 Shop Toilet Frontage	81.67 2.75 16.32	100.74	8.17 0.28 -	14.76 MV -	18.07 - -	
18	Retail 18 Shop Toilet Frontage	142.17 2.75 23.47	144.92	14.22 0.28 -	21.90 MV -	15.40 - -	
19	Retail 19 Shop Toilet Frontage	118.70 2.75 23.47	144.92	11.87 0.28 -	21.90 MV -	18.45 - -	
20	Retail 20 Shop Toilet Frontage	120.42 2.75 23.81	146.98	12.04 0.28 -	21.90 MV -	18.19 - -	
21	Retail 21 Shop Frontage	71.68 15.52	87.20	7.17 1.55	7.38 MV	10.30 -	
22	Retail 22 Shop Toilet Frontage	129.67 2.75 22.47	154.89	12.97 0.28 -	14.52 MV -	11.20 - -	
23	Retail 23 Shop Toilet Frontage	129.68 2.75 22.47	154.90	12.97 0.28 -	14.52 MV -	11.20 - -	
24	Retail 23A Shop Toilet Frontage	125.10 2.75 21.70	149.55	12.51 0.28 -	14.52 MV -	11.61 - -	
25	Retail 25 Shop Frontage	44.14 16.46	60.60	4.41 1.65	7.38 MV	16.72 -	
26	Retail 26 Shop Frontage	64.54 22.34	86.88	6.45 2.23	14.52 MV	22.50 -	
27	Retail 27 Shop Toilet Frontage	129.68 2.75 22.47	154.90	12.97 0.28 -	14.52 MV -	11.20 - -	
28	Retail 28 Shop Toilet Frontage	135.57 2.75 23.48	161.80	13.56 0.28 -	14.52 MV -	10.71 - -	
29	Retail 29		109.69	10.97	14.52	13.24	
30	Retail 30		87.36	8.74	14.52	16.62	
31	Retail 31		87.36	8.74	14.52	16.62	
32	Retail 32		87.36	8.74	14.52	16.62	
33	Retail 33		87.36	8.74	14.52	16.62	
34	Retail 33A Shop Frontage	45.25 13.51	58.76	4.53 1.35	7.38 MV	16.31 -	
35	Retail 35 Shop Toilet Frontage	129.68 2.75 22.47	154.90	12.97 0.28 -	14.52 MV -	11.20 - -	
36	Retail 36 Shop Toilet Frontage	129.68 2.75 22.47	154.90	12.97 0.28 -	14.52 MV -	11.20 - -	
37	Retail 37 Shop Toilet Frontage	129.68 2.75 22.47	154.90	12.97 0.28 -	14.52 MV -	11.20 - -	
38	Retail 38 Shop Toilet Frontage	133.54 2.75 23.13	159.42	13.35 0.28 -	29.04 MV -	21.75 - -	
39	Retail 39		89.56	8.96	29.04	32.43	
40	Retail 40		87.02	8.70	14.52	16.69	
41	Retail 41		87.02	8.70	14.52	16.69	
42	Retail 42		87.02	8.70	14.52	16.69	
43	Retail 43		87.36	8.74	14.52	16.62	
44	Retail 43A		87.36	8.74	14.52	16.62	
45	Retail 45		87.77	8.78	14.52	16.54	
46	Retail 46		66.34	6.63	14.52	21.89	
47	Retail 47		90.90	9.09	14.52	15.97	
48	Retail 48		87.03	8.70	14.52	16.68	
49	Retail 49		66.80	6.68	14.52	21.74	
50	Retail 50		59.11	5.91	7.38	12.49	
51	Retail 51		84.02	8.40	14.52	17.28	
52	Retail 52		87.02	8.70	14.52	16.69	
53	Retail 53		87.02	8.70	14.52	16.69	
54	Retail 53A		48.17	4.82	7.38	15.32	
55	Retail 55		73.74	7.37	21.90	29.70	
56	Retail 56		72.70	7.27	21.90	30.12	
57	Retail 57		72.70	7.27	21.90	30.12	
58	Retail 58		50.54	5.05	14.76	29.20	
59	Retail 59		86.65	8.67	8.45	9.75	
60	Retail 60		97.70	9.77	14.52	14.86	
61	Retail 61		97.70	9.77	14.52	14.86	
62	Retail 62		120.95	12.10	14.52	12.00	
63	Retail 63		83.35	8.34	14.52	17.42	
64	Retail 63A		87.36	8.74	14.52	16.62	
65	Retail 65		87.36	8.74	14.52	16.62	
66	Retail 66		87.36	8.74	14.52	16.62	
67	Retail 67		87.36	8.74	14.52	16.62	
68	Retail 68		87.36	8.74	14.52	16.62	
69	Retail 69		87.02	8.70	14.52	16.69	
70	Retail 70		87.02	8.70	14.52	16.69	
71	Retail 71		90.13	9.01	14.52	16.11	
72	Riser Riser 1 Riser 2 Riser 3 Riser 4	4.54 5.03 5.03 7.03	21.63	- - - -	- - - -	- - - -	
73	Janitor		3.14	0.31	MV	-	
74	Water compart. Water compart. apart. 1 Water compart. retail 1 Water compart. retail 2 Water compart. apart. 2	6.88 8.90 13.57 5.67	35.02	- - - -	- - - -	- - - -	
75	Refuse Refuse 1 Refuse 2	4.54 4.54	9.08	0.45 0.45	4.20 4.20	92.51 92.51	
76	Fire HR/SPR/WR Fire wet riser 1 Fire wet riser 2 Fire wet riser 3	2.85 2.29 2.85	2.85	- - -	- - -	- - -	
77	Toilet Toilet 1 (M) Toilet 1 (F) OKU 1 Toilet 2 (M) Toilet 2 (F) Lactation 1 OKU 2 Toilet 3 (M) Toilet 3 (F) Lactation 2 OKU 3 Toilet 4 (M) Toilet 4 (F) Lactation 3 OKU 4	18.86 15.50 5.43 17.95 25.48 3.93 6.48 19.14 14.02 7.45 4.85 14.6 18.42 7.3 5.73	185.14	1.89 1.55 0.54 1.80 2.55 0.39 0.65 1.91 1.40 0.75 0.49 1.46 1.84 0.57	MV MV MV MV MV MV MV MV MV MV MV MV MV MV	- - - - - - - - - - - - - -	
78	Management office		45.20	4.52	10.56	23.36	
79	Surau Surau (M) Surau (F)	23.42 14.86	38.28	2.34 1.49	MV MV	- -	
80	Exhaust Ducting Exhaust 1 Exhaust 2 Exhaust 3	12.78 13.39 13.49	39.66				
81	Circulation area		1,726.13	-	-	-	
	Area	p		opening requirement	opening provided		
		sub-total		sqm	sqm	(%)	
	Stairs		174.24				
	Stairs 1	17.46		3.49	1.89	10.82	
	Stairs 2	17.10		3.42	1.89	11.05	
	Stairs 3	17.46		3.49	1.89	10.82	
	Stairs 4	17.46		3.49	1.89	10.82	
	Stairs 5	17.46		3.49	1.89	10.82	
	Stairs 6	17.46		3.49	1.89	10.82	
	Stairs 7	17.46		3.49	1.89	10.82	
	Stairs 8	17.46		3.49	1.89	10.82	
	Stairs 9	17.46		3.49	1.89	10.82	
	Stairs 10	17.46		3.49	1.89	10.82	
	Total		9,900.20				

08.08.2016

LEGEND	
MV	Mechanical Ventilation

7,619.83

11,929.78
7,619.83
514.58
402.88
369.34
3,023.15

7,619.83