

LEVEL 2

No.	Area	(sqm)		opening requirement		opening provided	
			sub-total	10% sqm		sqm	(%)
1	Retail 1		213.46				
	Shop	210.22		21.02		29.52	14.04
	Toilet	3.24		0.32		MV	-
2	Retail 2		281.23				
	Shop	277.99		27.80		70.80	25.47
	Toilet	3.24		0.32		MV	-
3	Retail 3		90.48		9.05	17.28	19.10
4	Retail 3A		87.36		8.74	17.28	19.78
5	Retail 5		87.36		8.74	17.28	19.78
6	Retail 6		87.36		8.74	17.28	19.78
7	Retail 7		58.76		5.88	12.96	22.06
8	Retail 8		87.36		8.74	17.28	19.78
9	Retail 9		154.90				
	Shop	129.68		12.97		17.28	13.33
	Toilet	2.75		0.28		MV	-
	Frontage	22.47		-		-	-
10	Retail 10		154.90				
	Shop	129.68		12.97		17.28	13.33
	Toilet	2.75		0.28		MV	-
	Frontage	22.47		-		-	-
11	Retail 11		154.90				
	Shop	129.68		12.97		17.28	13.33
	Toilet	2.75		0.28		MV	-
	Frontage	22.47		-		-	-
12	Retail 12		153.81				
	Shop	121.23		12.12		21.60	17.82
	Toilet	2.75		0.28		MV	-
	Frontage	29.83		-		-	-
13	Retail 12A		152.07				
	Shop	117.87		11.79		21.60	18.33
	Toilet	2.75		0.28		MV	-
	Frontage	31.45		-		-	-
14	Retail 12B		144.22				
	Shop	119.00		11.90		17.28	14.52
	Toilet	2.75		0.28		MV	-
	Frontage	22.47		-		-	-
15	Retail 15		144.22				
	Shop	119.00		11.90		17.28	14.52
	Toilet	2.75		0.28		MV	-
	Frontage	22.47		-		-	-
16	Retail 16		128.20				
	Shop	102.98		10.30		17.28	16.78
	Toilet	2.75		0.28		MV	-
	Frontage	22.47		-		-	-
17	Retail 17		100.74				
	Shop	81.67		8.17		32.40	39.67
	Toilet	2.75		0.28		MV	-
	Frontage	16.32		-		-	-
18	Retail 18		144.92				
	Shop	118.70		11.87		36.72	30.94
	Toilet	2.75		0.28		MV	-
	Frontage	23.47		-		-	-
19	Retail 19		144.92				
	Shop	118.70		11.87		36.72	30.94
	Toilet	2.75		0.28		MV	-
	Frontage	23.47		-		-	-
20	Retail 20		146.98				
	Shop	120.42		12.04		36.72	30.49
	Toilet	2.75		0.28		MV	-
	Frontage	23.81		-		-	-
21	Retail 21		87.20				
	Shop	68.93		6.89		12.96	18.80
	Toilet	2.75		0.28		MV	-
	Frontage	15.52		-		-	-
22	Retail 22		154.89				
	Shop	129.64		12.96		17.28	13.33
	Toilet	2.75		0.28		MV	-
	Frontage	22.50		-		-	-
23	Retail 23		154.89				
	Shop	129.67		12.97		17.28	13.33
	Toilet	2.75		0.28		MV	-
	Frontage	22.47		-		-	-
24	Retail 23A		149.55				
	Shop	125.09		12.51		17.28	13.81
	Toilet	2.75		0.28		MV	-
	Frontage	21.71		-		-	-
25	Retail 25		60.60				
	Shop	44.04		4.40		12.96	29.43
	Frontage	16.56		1.66		MV	-
26	Retail 26		86.88				
	Shop	64.54		6.45		17.28	26.77
	Frontage	22.34		2.23		MV	-
27	Retail 27		154.90				
	Shop	129.68		12.97		17.28	13.33
	Toilet	2.75		0.28		MV	-
	Frontage	22.47		2.25		MV	-
28	Retail 28		161.80				
	Shop	135.57		13.56		43.20	31.87
	Toilet	2.75		0.28		MV	-
	Frontage	23.48		-		-	-
29	Retail 29		161.81				
	Shop	135.58		13.56		45.36	33.46
	Toilet	2.75		0.28		MV	-
	Frontage	23.48		-		-	-
30	Retail 30		154.90				
	Shop	129.68		12.97		17.28	13.33
	Toilet	2.75		0.28		MV	-
	Frontage	22.47		-		-	-
31	Retail 31		154.90				
	Shop	129.68		12.97		17.28	13.33
	Toilet	2.75		0.28		MV	-
	Frontage	22.47		-		-	-
32	Retail 32		87.36		8.74	17.28	19.78
33	Retail 33		87.36		8.74	17.28	19.78
34	Retail 33A		58.76		5.88	12.96	22.06
35	Retail 35		87.36		8.74	17.28	19.78
36	Retail 36		87.36		8.74	17.28	19.78
37	Retail 37		87.36		8.74	17.28	19.78
38	Retail 38		159.42				
	Shop	156.67		15.67		47.52	30.33
	Toilet	2.75		0.28		MV	-
39	Retail 39		89.56		8.96	32.40	36.18
40	Retail 40		87.36		8.74	17.28	19.78
41	Retail 41		87.36		8.74	17.28	19.78
42	Retail 42		87.36		8.74	17.28	19.78
43	Retail 43		87.36		8.74	17.28	19.78
44	Retail 43A		87.36		8.74	17.28	19.78
45	Retail 45		87.78		8.78	17.28	19.69
46	Retail 46		46.06		4.61	8.64	18.76
47	Retail 47		90.90		9.09	32.40	35.64
48	Retail 48		90.90		9.09	32.40	35.64
49	Retail 49		87.03		8.70	17.28	19.86
50	Retail 50		66.80		6.68	17.28	25.87
51	Retail 51		59.11		5.91	12.96	21.93
52	Retail 52		84.02		8.40	17.28	20.57
53	Retail 53		87.02		8.70	17.28	19.86
54	Retail 53A		87.02		8.70	17.28	19.86
55	Retail 55		48.17		4.82	8.64	17.94
56	Retail 56		73.74		7.37	28.08	38.08
57	Retail 57		72.70		7.27	28.08	38.62
58	Retail 58		72.70		7.27	21.90	30.12
59	Retail 59		50.54		5.05	23.76	47.01
60	Retail 60		86.65		8.67	12.96	14.96
61	Retail 61		97.70		9.77	17.28	17.69
62	Retail 62		97.70		9.77	17.28	17.69
63	Retail 63		120.96		12.10	21.60	17.86
64	Retail 63A		83.35		8.34	21.60	25.91
65	Retail 65		87.02		8.70	17.28	19.86
66	Retail 66		87.02		8.70	17.28	19.86
67	Retail 67		87.02		8.70	17.28	19.86
68	Retail 68		87.36		8.74	17.28	19.78
69	Retail 69		87.36		8.74	17.28	19.78
70	Retail 70		87.36		8.74	17.28	19.78
71	Retail 71		87.36		8.74	17.28	19.78
72	Retail 72		90.48		9.05	17.28	19.10
73	Riser		21.63				
	Riser 1	4.54		-		-	-
	Riser 2	5.03		-		-	-
	Riser 3	5.03		-		-	-
	Riser 4	7.03		-		-	-
74	Janitor		3.14		-	-	-
75	Water compart.		36.23		-	-	-
	Water compart. apart. 1	6.88		-		-	-
	Water compart. retail 1	8.9		-		-	-
	Water compart. retail 2	13.57		-		-	-
	Water compart. apart 2	6.88		-		-	-
76	Refuse		9.08				
	Refuse 1	4.54		0.45		4.20	92.51
	Refuse 2	4.54		0.45		4.20	92.51
77	Fire HR/SPR/WR		3.15				
	Fire wet riser 1	2.49		-		-	-
	Fire wet riser 2	2.3		-		-	-
	Fire wet riser 3	2.89		-		-	-
	Dry Riser						
	Dry riser 1	0.7		-		-	-
	Dry riser 2	0.88		-		-	-
	Dry riser 3	0.66		-		-	-
	Dry riser 4	0.66		-		-	-
78	Toilet		183.59				
	Toilet 1 (M)	18.86		1.89		MV	-
	Toilet 1 (F)	15.50		1.55		MV	-
	OKU 1	5.43		0.543		MV	-
	Toilet 2 (M)	17.95		1.80		MV	-
	Toilet 2 (F)	25.48		2.55		MV	-
	OKU 2	4.93		0.49		MV	-
	Lactation 2	3.93		0.39		MV	-
	Toilet 3 (M)	19.14		1.91		MV	-
	Toilet 3 (F)	14.02		1.40		MV	-
	OKU 3	4.85		0.49		MV	-
	Lactation 2	7.45		0.75		MV	-
	Toilet 4 (M)	14.6		1.46		MV	-
	Toilet 4 (F)	18.42		1.84		MV	-
	OKU 4	5.73		0.57		MV	-
	Lactation 3	7.3		0.73		MV	-
79	Exhaust Ducting		9.12				
	Exhaust 1	3.04		-		-	-
	Exhaust 2	3.04		-		-	-
	Exhaust 3	3.04		-		-	-
80	Circulation area		1,726.10		-	-	-
81	External Corridor		31.40				
	Area		sqm	opening requirement		opening provided	
			sub-total	5%		sqm	(%)
82	Stairs		175.69				
	Stairs 1	17.46		1.75		1.08	6.19
	Stairs 2	16.22		1.62		1.08	6.66
	Stairs 3	18.68		1.87		1.08	5.78
	Stairs 4	17.46		1.75		MV	-
	Stairs 5	17.46		1.75		MV	-
	Stairs 6	17.46		1.75		MV	-
	Stairs 7	17.46		1.75		MV	-
	Stairs 8	18.01		1.80		MV	-
	Stairs 9	18.68		1.87		1.08	5.78
	Stairs 10	16.80		1.68		1.08	6.43
	Total		9,872.77				