

TYPICAL CAR PARK (LEVEL 3A)

No.	Area	(sqm)		opening requirement 5%/10%		opening provided	
			sub-total	sqm		sqm	(%)
1	Lift Lobby		60.80				
	Lift Lobby 1	20.40		2.04	0.10	MV	MV
	Lift Lobby 2	20.40		2.04	0.10	MV	MV
	Lift Lobby 3	20.00		2.00	0.10	MV	MV
2	Stairs		138.33				
	Stairs 1	17.46		0.87	0.05	1.08	6%
	Stairs 2	16.22		0.81	0.05	1.08	7%
	Stairs 4	17.46		0.87	0.05	MV	MV
	Stairs 5	17.46		0.87	0.05	MV	MV
	Stairs 6	17.46		0.87	0.05	MV	MV
	Stairs 7	17.46		0.87	0.05	MV	MV
	Stairs 8	18.01		0.90	0.05	MV	MV
	Stairs 10	16.80		0.84	0.05	1.08	6%
3	Refuse		17.72				
	Refuse 1	8.86		0.89	0.10	0.90	10%
	Refuse 2	8.86		0.89	0.10	0.90	10%
4	Services		235.43	-	-	-	-
5	Circulation/Car parking		11,477.76	-	-	-	-